

Lake Michigan Committee Meeting
Ypsilanti, Michigan
March 20-21, 2007



Stocking Summary for Lake Michigan 1976-2006

Prepared by:
Dale Hanson
U.S. Fish & Wildlife Service
Green Bay Fishery Resources Office
2661 Scott Tower Drive
New Franken, WI 54229

The Great Lakes Fish Stocking database (GLFSD) is a collection of records for all reported fish stocking events in the Great Lakes since the 1950's. Information including the number stocked, strain, health, origin, stocking location, and tagging information for each stocking event is submitted by state, tribal, and federal entities. The GLFSD is updated annually, by April 1st, and users can access data online from the Great Lakes Fishery Commission website at: <http://www.glfsc.org/fishstocking/>. This document provides an update of the 2006 stocking data in the GLFSD for Lake Michigan.

The following tables report numbers of trout and salmon stocked between 1976 and 2006 (Tables 1-6) and more detailed information for fin-clipped or otherwise marked fish that were stocked in the basin during 2006 (Tables 7,8). Non-salmonid fish stocked into Lake Michigan are also summarized (Table 9). It is important to note that the totals represented here include all post-fry stocked life-stages, as life-stage data may not be complete for all data records. No corrections were applied to the total numbers to account for life-stage specific differences in survival.

Table 1. Millions of salmonids, fingerling and yearling stages combined, stocked in Lake Michigan between 1976 and 2006.

	Atlantic Salmon	Brook Trout	Brown Trout	Chinook Salmon	Coho Salmon	Lake Trout	Rainbow Trout	Splake	Total
1976	0.020	0.075	1.129	3.317	3.196	2.548	1.863	0.000	12.148
1977	0.019	0.643	1.160	2.977	3.087	2.418	1.312	0.000	11.616
1978	0.046	0.248	1.503	5.365	2.685	2.539	1.933	0.000	14.319
1979	0.000	0.196	1.228	4.984	4.044	2.497	2.589	0.000	15.538
1980	0.000	0.204	1.292	6.106	2.943	2.791	2.630	0.000	15.967
1981	0.020	0.208	1.169	4.747	2.451	2.642	1.971	0.000	13.208
1982	0.045	0.259	2.139	6.312	2.181	2.746	2.525	0.000	16.207
1983	0.000	0.300	2.180	6.539	2.364	2.241	2.595	0.000	16.219
1984	0.000	0.233	1.803	7.710	2.954	1.565	3.111	0.034	17.410
1985	0.000	0.307	1.798	5.956	3.181	3.782	1.825	0.054	16.903
1986	0.000	0.197	1.434	5.693	2.291	3.297	2.222	0.115	15.249
1987	0.000	0.117	1.341	5.801	2.305	1.998	1.831	0.018	13.411
1988	0.017	0.466	1.516	5.417	3.210	92.546	1.429	0.104	14.706
1989	0.060	0.150	1.504	7.859	2.334	5.377	1.845	0.088	19.217
1990	0.000	0.400	1.772	7.129	2.380	1.317	1.600	0.050	14.648
1991	0.000	0.326	1.383	6.238	2.471	2.779	1.975	0.396	15.568
1992	0.000	0.272	1.615	5.795	2.712	3.435	1.689	0.099	15.618
1993	0.000	0.294	1.759	5.530	1.709	2.697	1.680	0.141	13.809
1994	0.000	0.269	2.172	5.837	1.497	3.854	2.220	0.166	16.015
1995	0.000	0.328	1.876	6.549	2.401	2.265	1.878	0.151	15.448
1996	0.000	0.180	1.787	6.193	3.112	2.141	1.849	0.201	15.463
1997	0.000	0.115	1.804	5.745	2.620	2.235	1.864	0.155	14.538
1998	0.000	0.408	1.742	5.721	2.059	2.302	1.618	0.097	13.948
1999	0.000	0.191	1.649	4.324	2.765	2.348	1.680	0.077	13.034
2000	0.000	0.045	1.666	4.049	2.499	2.260	1.244	0.079	11.842
2001	0.000	0.102	1.749	4.518	2.765	2.382	1.849	0.131	13.495
2002	0.000	0.050	1.754	4.015	2.690	2.224	1.861	0.126	12.721
2003	0.000	0.024	1.649	4.422	3.124	2.609	2.078	0.104	14.010
2004	0.000	0.001	1.601	4.303	1.687	2.354	1.583	0.122	11.651
2005	0.000	0.000	1.523	4.306	2.561	2.887	2.170	0.099	13.546
2006	0.000	0.001	1.611	3.253	2.430	2.770	1.788	0.166	12.018
10 year mean	0.000	0.094	1.675	4.466	2.520	2.437	1.773	0.116	13.080

Table 2. Number of fingerling and yearling salmonids, excluding USFWS stocked lake trout, stocked in Wisconsin waters of Lake Michigan, 1976 – 2006.

Year	Brook trout	Brown trout	Chinook salmon	Coho salmon	Lake trout	Rainbow trout	Splake
1976	6,900	298,200	1,190,500	666,800	0	999,600	0
1977	643,400	802,200	912,600	491,300	0	682,900	0
1978	242,600	1,208,100	2,017,100	499,300	0	612,600	0
1979	187,300	959,500	1,963,800	319,900	0	1,211,300	0
1980	184,900	1,046,500	2,429,500	491,900	0	1,136,800	0
1981	199,900	1,014,200	1,848,300	318,500	0	996,800	0
1982	259,000	1,820,700	2,520,700	216,000	49,400	1,041,600	0
1983	300,200	1,554,800	2,791,700	356,500	31,500	1,467,800	0
1984	225,000	1,184,900	2,891,900	551,500	20,400	1,380,800	34,200
1985	307,100	1,170,100	2,740,800	1,044,200	0	415,100	54,500
1986	188,300	882,900	2,377,600	267,200	76,000	782,400	115,000
1987	94,800	836,800	2,263,500	624,400	0	542,200	0
1988	466,500	1,020,900	1,409,300	1,019,900	0	291,300	28,900
1989	150,100	972,700	2,713,900	511,300	0	495,300	0
1990	315,100	1,229,100	2,379,300	498,400	0	460,600	0
1991	326,100	981,500	1,734,600	402,800	0	586,900	147,000
1992	272,400	1,228,600	1,523,100	568,500	0	569,400	43,800
1993	294,100	1,333,300	1,600,100	0	0	679,200	40,000
1994	268,600	1,261,100	1,548,600	457,200	0	798,300	71,700
1995	328,000	1,325,100	1,901,400	722,100	0	553,400	0
1996	167,800	1,301,100	1,727,000	563,600	0	565,900	69,900
1997	114,500	1,279,800	1,917,100	514,700	0	570,000	40,000
1998	407,800	1,242,800	1,591,500	504,900	0	533,100	22,000
1999	190,700	1,181,300	1,308,800	520,200	0	521,400	26,700
2000	44,600	1,056,300	1,010,800	253,700	0	197,900	0
2001	101,500	1,257,600	1,502,600	512,800	0	641,700	54,500
2002	50,400	1,211,800	1,419,300	595,500	0	545,500	28,500
2003	23,900	1,080,500	1,511,200	540,100	0	758,300	22,100
2004	0	1,021,700	1,502,900	484,800	0	430,600	43,900
2005	0	952,100	1,475,500	516,000	0	553,900	16,300
2006	1,000	1,009,300	1,166,200	387,600	0	578,400	80,100
10 year mean	93,440	1,129,320	1,440,590	483,030	0	533,080	33,410

Table 3. Number of fingerling and yearling salmonids, excluding USFWS stocked lake trout, stocked in Illinois waters of Lake Michigan, 1976 – 2006.

Year	Brook trout	Brown trout	Chinook salmon	Coho salmon	Lake trout	Rainbow trout
1976	6,400	94,300	142,000	80,300	0	45,300
1977	0	42,200	346,700	102,700	0	276,200
1978	5,000	13,400	611,400	278,800	0	39,800
1979	8,300	1,000	183,100	289,400	0	215,400
1980	19,500	23,800	152,200	39,000	0	112,900
1981	0	65,100	430,600	323,800	0	186,400
1982	0	18,300	793,300	158,700	0	170,000
1983	0	50,900	533,600	0	0	0
1984	0	88,500	537,800	276,800	0	164,700
1985	0	114,700	195,000	304,600	135,500	146,300
1986	0	59,300	215,000	312,200	111,000	151,900
1987	0	88,500	539,100	187,100	25,000	89,000
1988	0	94,700	456,800	297,300	66,500	116,100
1989	0	105,500	650,400	99,700	27,200	110,500
1990	0	0	479,400	302,600	0	0
1991	0	113,900	496,300	312,700	0	133,700
1992	0	100,100	352,700	308,600	0	105,300
1993	0	105,100	364,200	117,800	0	182,100
1994	0	100,500	285,600	328,000	0	74,600
1995	0	98,200	362,700	308,200	0	99,100
1996	0	85,200	365,400	305,600	0	102,100
1997	0	90,100	360,100	302,300	0	91,700
1998	0	100,000	366,200	305,800	0	103,000
1999	0	102,700	304,600	301,600	0	84,700
2000	0	100,000	305,700	302,300	0	100,000
2001	0	72,300	304,000	300,900	0	87,600
2002	0	100,000	305,300	301,000	0	106,500
2003	0	100,000	299,500	244,100	0	126,900
2004	0	70,000	302,700	300,100	0	112,700
2005	0	100,200	295,200	301,000	0	111,400
2006	0	57,600	251,600	304,200	0	105,200
10 year mean	0	89,290	309,490	296,330	0	102,970

Table 4. Number of fingerling and yearling salmonids, excluding USFWS stocked lake trout, stocked in Indiana waters¹ of Lake Michigan, 1976 – 2006.

Year	Brown trout	Chinook salmon	Coho salmon	Rainbow trout
1976	199,000	38,000	179,500	217,100
1977	109,000	141,400	179,000	47,700
1978	131,000	213,200	105,000	129,700
1979	68,500	530,700	117,500	181,900
1980	116,100	621,400	169,500	69,800
1981	58,100	263,400	102,000	230,400
1982	0	313,100	160,400	247,700
1983	0	238,400	127,600	378,300
1984	0	405,900	156,300	258,800
1985	7,400	761,800	139,000	509,400
1986	0	697,700	132,900	635,700
1987	0	569,200	161,800	511,200
1988	0	879,800	160,400	461,300
1989	0	717,400	40,700	503,500
1990	0	630,200	114,200	538,800
1991	0	694,400	100,000	493,200
1992	0	504,200	100,800	411,800
1993	0	458,600	12,300	315,600
1994	0	537,000	84,400	568,100
1995	0	555,000	169,100	542,000
1996	0	571,600	357,000	577,600
1997	0	422,600	80,800	610,000
1998	0	593,500	148,300	464,000
1999	0	415,400	146,900	551,500
2000	0	417,800	157,700	374,500
2001	0	450,700	157,000	571,400
2002	35,000	253,000	224,800	605,200
2003	40,400	232,400	233,200	592,000
2004	46,200	237,100	236,000	465,200
2005	36,400	251,300	237,000	933,000
2006	42,900	225,100	79,000	491,400
10 year mean	20,100	349,900	170,100	565,800

Footnotes: ¹Reported value represents IN DNR stocking totals which are different than the total stocked in statistical district IND.

Table 5. Number of fingerling and yearling salmonids, excluding USFWS stocked lake trout, stocked in Michigan waters¹ of Lake Michigan, 1976 – 2006.

Year	Brook trout	Brown trout	Chinook salmon	Coho Salmon	Lake trout	Rainbow trout	Splake
1976	61,300	537,300	1,946,600	2,269,900	0	600,600	0
1977	0	206,500	1,576,200	2,314,100	0	305,200	0
1978	0	150,000	2,523,600	1,802,000	0	1,150,600	0
1979	0	198,800	2,306,700	3,317,000	75,000	980,800	0
1980	0	105,500	2,902,900	2,243,000	62,000	1,310,600	0
1981	8,000	32,000	2,204,700	1,707,200	453,200	557,700	0
1982	0	300,000	2,685,100	1,645,400	90,000	1,066,100	0
1983	0	574,000	2,975,700	1,880,000	0	748,500	0
1984	8,000	529,600	3,874,200	1,969,400	0	1,307,000	0
1985	0	505,500	2,258,500	1,693,000	0	754,100	0
1986	8,600	491,800	2,402,500	1,579,200	0	651,500	0
1987	22,500	415,900	2,429,000	1,331,300	0	688,400	17,700
1988	0	400,100	2,670,900	1,732,600	0	560,700	75,000
1989	0	425,800	3,777,700	1,682,200	0	735,900	88,000
1990	85,000	542,600	3,639,800	1,464,900	0	600,700	50,000
1991	0	287,800	3,312,300	1,655,400	0	761,100	249,200
1992	0	285,900	3,415,400	1,734,600	0	602,600	55,500
1993	0	320,300	3,107,000	1,578,600	0	502,700	101,000
1994	0	810,700	3,465,800	626,900	0	779,100	94,500
1995	0	452,700	3,729,500	1,201,700	105,600	684,000	150,800
1996	0	400,500	3,529,400	1,885,700	0	603,100	131,500
1997	0	434,000	3,045,100	1,722,200	0	592,300	115,000
1998	0	399,600	3,170,200	1,100,000	0	517,800	75,000
1999	0	364,800	2,295,600	1,796,200	0	522,400	50,700
2000	0	509,800	2,314,500	1,785,200	0	571,900	79,100
2001	0	419,100	2,261,000	1,794,600	0	548,200	76,100
2002	0	406,900	2,037,600	1,569,000	149,900	604,200	97,400
2003	0	428,200	2,379,300	2,106,500	0	600,900	81,500
2004	1,000	463,200	2,260,200	666,500	0	574,100	77,700
2005	0	434,300	2,283,700	1,507,100	0	571,600	82,600
2006	0	500,800	1,609,800	1,658,900	0	612,700	86,200
10 year mean	100	436,100	2,365,700	1,570,600	15,000	571,600	82,100

Footnotes: ¹Reported value represents MI DNR stocking totals which are different than the total stocked in statistical district MM8.

Table 6. Millions of Service stocked yearling lake trout in Lake Michigan within each statistical district between 1976 and 2006. Fish stocked in refuge areas (Mid-lake Refuge, MLR and Northern Refuge, NR) are included in the statistical district totals and do not represent additional fish stocked.

Year	Statistical District													Refuge area		
	MM123	MM4	MM5	MM6	MM7	MM8	WM1,2	WM3	WM4	WM5	WM6	ILL	IND	TOTAL	MLR	NR
1976	0.466	0.102	0.111	0.150	0.477	0.150	0.172	0.102	0.315	0.104	0.075	0.160	0.164	2.548	0.277	
1977	0.426	0.131	0.091	0.134	0.188	0.135	0.153	0.100	0.308	0.258	0.104	0.166	0.177	2.370		0.050
1978	0.408	0.150	0.104	0.145	0.255	0.192	0.206	0.140	0.280	0.223	0.081	0.116	0.175	2.474		
1979	0.175	0.125	0.101	0.180	0.312	0.190	0.209	0.091	0.271	0.220	0.090	0.162	0.176	2.302		
1980	0.319	0.200	0.117	0.202	0.200	0.148		0.400	0.193	0.340	0.080	0.087	0.174	2.461	0.199	
1981	0.049		0.075	0.210	0.231	0.200		0.213	0.160	0.193	0.050	0.124	0.124	1.628	0.093	
1982	0.075		0.075	0.226	0.423	0.182		0.218	0.150	0.229	0.050	0.152	0.153	1.932	0.281	
1983	0.096	0.154	0.101	0.246	0.796	0.180		0.202	0.111			0.166	0.157	2.210	0.502	
1984		0.062		0.080	0.332	0.200		0.217				0.100	0.108	1.099	0.282	
1985	0.564	0.374	0.143	0.222				0.361		0.775		0.123		2.562	0.775	
1986	0.924	0.180	0.150	0.070				0.367		0.684		0.100		2.474	0.684	0.703
1987	0.746	0.060						0.351		0.714		0.102		1.973	0.714	0.746
1988	0.767	0.152	0.130		0.270			0.192		0.274		0.100		1.885	0.544	0.692
1989	0.772	0.166	0.157		0.300			0.208		0.300		0.103		2.006	0.600	0.688
1990	0.618				0.254					0.445		0.000		1.317	0.700	0.618
1991	1.096	0.229	0.344		0.216			0.196		0.598		0.101		2.779	0.722	0.773
1992	0.987	0.330	0.309		0.257			0.200		0.578		0.100		2.761	0.765	0.766
1993	0.994	0.330	0.308		0.166	0.096		0.196	0.087	0.329		0.096	0.095	2.697	0.495	0.793
1994	0.944	0.333	0.308	0.199	0.107	0.102		0.197		0.210		0.097		2.496	0.317	0.769
1995	0.729	0.188	0.055	0.139	0.245	0.230		0.123	0.086	0.247		0.060	0.058	2.159	0.372	0.581
1996	0.578	0.198	0.185	0.119	0.161	0.169		0.122	0.064	0.255		0.061	0.060	1.971	0.302	0.455
1997	0.570	0.205	0.207	0.128	0.283	0.063		0.121	0.122	0.267	0.060	0.120	0.089	2.235	0.308	0.449
1998	0.621	0.219	0.205	0.126	0.166	0.194		0.115	0.136	0.330	0.065	0.060	0.066	2.302	0.299	0.451
1999	0.610	0.215	0.213	0.121	0.167	0.197		0.118	0.118	0.327	0.054	0.064	0.068	2.274	0.302	0.449
2000	0.610	0.285	0.200	0.120	0.161	0.181		0.116	0.116	0.296	0.114		0.061	2.260	0.290	0.347
2001	0.589	0.245	0.227	0.141	0.064	0.207		0.154	0.130	0.433	0.062	0.059	0.072	2.382	0.305	0.444
2002	0.576	0.258	0.168	0.060	0.063	0.120		0.120		0.435	0.065	0.061	0.060	1.987	0.202	0.452
2003	0.567	0.273	0.228	0.131	0.060	0.239		0.119	0.120	0.430	0.056	0.061	0.070	2.354	0.204	0.298
2004	0.677	0.241	0.197	0.120	0.060	0.256		0.052	0.057	0.571	0.063	0.060		2.354	0.307	0.409
2005	0.976	0.207	0.200	0.230	0.060	0.234		0.081	0.136	0.437	0.060	0.063	0.066	2.750	0.303	0.360
2006	1.177	0.183	0.192	0.120	0.057	0.183		0.095	0.162	0.412	0.061	0.068	0.060	2.770	0.302	0.373

Table 7. USFWS lake trout stocking in Lake Michigan, 2006, by rehabilitation zone; sites are listed in order of stocking priority.

Fish Age	Rehabilitation Zone/Site	Grid	Number Stocked	Finclip/ Mark	Strain	Off/ Onshore
Yearlings	Northern Refuge					
	Boulder Reef	413	63,902	LP	Lewis Lake	off
		413	88,385	LP	Apostle Islands	off
		413	46,006	LP	Isle Royale	off
	Gull Island Shoal	414	13,420	LP	Lewis Lake	off
		414	61,987	LP	Apostle Islands	off
		414	55,127	LP	Isle Royale	off
		414	44,420	LP	Traverse Island	off
	High Island	314	70,489	LP	Lewis Lake	off
		314	52,214	LP	Apostle Islands	off
Subtotal			495,950			
Yearlings	Midlake Refuge					
	East Reef	1904	41,319	LP	Green Lake	off
		1904	58,650	LP	Seneca Lake	off
	Northeast Reef	1803	53,998	LP	Seneca Lake	off
		1803	46,002	LP	Traverse Island	off
	Sheboygan Reef	1705	102,424	LP	Seneca Lake	off
	Subtotal			302,393		
Yearlings	Primary Zone					
	Acme	916	32,006	LP	Lewis Lake	on
	Charlevoix Cement Plant	616	78,747	LP	Lewis Lake	on
		616	54,330	LP	Isle Royale	on
	Clay Banks	905	49,915	LP	Apostle Islands	on
		905	45,220	LP	Traverse Island	on
	Good Harbor Reef	814	101,431	LP	Lewis Lake	off

Fish Age	Rehabilitation Zone/Site	Grid	Number Stocked	Finclip/ Mark	Strain	Off/ Onshore
Yearlings	Julien's Reef	2403	67,849	LP	Green Lake	on
	Kewaunee	1104	62,339	LP	Apostle Islands	on
	Lee's Reef	815	93,618	LP	Apostle Islands	off
	Little Traverse Bay	519	80,284	LP	Lewis Lake	off
		519	8,883	LP	Apostle Islands	off
	Old Mission Point	716	28,913	LP	Lewis Lake	off
		716	28,410	LP	Apostle Islands	off
	Point Betsie	911	90,595	LP	Lewis Lake	off
	Port Inland	213	64,400	LP	Lewis Lake	on
		213	343,774	LP	Apostle Islands	on
213		51,077	LP	Isle Royale	on	
	Subtotal		1,281,791			
Fall Fingerlings	Charlevoix	616	21,118	RPLV	Isle Royale, Traverse Island	on
	Charlevoix	616	101,521	RPLV	Apostle Islands	on
	Port Inland	213	262,403	RPLV	Isle Royale, Traverse Island	on
		subtotal		385,042		
Yearlings	Secondary Zone					
	Lake MI Beach Reef	2410	60,965	LP	Lewis Lake	off
	Lakeside Reef	2608	61,548	LP	Lewis Lake	off
	Ludington Reef	1409	60,653	LP	Lewis Lake	off
	Michiana Reef	2706	59,547	LP	Lewis Lake	off
	Northeim Reef	1303	3,350	LP	Apostle Islands	off
		1303	96,291	LP	Traverse Island	off
	Portage Lake Reef	1111	58,988	LP	Lewis Lake	off
	Saugatuck Reef	2211	60,273	LP	Lewis Lake	off
Sheboygan	1502	61,240	LP	Apostle Islands	on	

Fish Age	Rehabilitation Zone/Site	Grid	Number Stocked	Finclip/ Mark	Strain	Off/ Onshore
Yearlings	S. Milwaukee Reef	2002	7,118	LP	Seneca Lake	off
		2002	16,482	LP	Green Lake	off
		2002	24,946	LP	Traverse Island	off
	Stony Lake Reef	1609	57,237	LP	Lewis Lake	off
	Wind Point Shoal	2102	60,785	LP	Apostle Islands	on
	Subtotal		689,423			
Fall Fingerlings	Manitowoc	1303	25,000	RPLV	Traverse Island	on
	Milwaukee	1901	75,568	RPLV	Isle Royale, Traverse Island	on
	Subtotal		100,568			
	Grand Total		3,255,167			

Table 8. A summary of finclipped and otherwise marked fish stocked in Lake Michigan, 2006. Stage codes refer to age and size of fish at stocking (Y = yearling, F = fingerling, SF = spring fingerling, and FF = fall fingerling. Refer to the Great Lakes Fish Stocking Database for a complete listing of stage and finclip/mark codes (www.glfsc.org/fishstocking/).

Species/ Strain	State/ Tribe	Stocking location	Number stocked	Stage	Fin clip or mark
<u>Brown trout</u>					
Seeforellen	WI	Kewaunee River	38,328	Y	ADRV
	WI	Menominee River	22,987	Y	ADRV
	WI	Root River	29,548	Y	ADRV
<u>Chinook salmon</u>					
Lake Michigan	IL	Waukegon	83,631	F	LPRV
	IL	Chicago	10,077	F	LPRV
	IN	Little Calumet	150,000	SF	OX
	IN	Michigan City Harbor	75,131	SF	OX
	MI	Big Sable River	119,145	SF	OX
	MI	Black River (South Haven)	44,550	SF	OX
	MI	Grand River	248,657	SF	OX
	MI	Kalamazoo River	44,741	SF	OX
	MI	Kids Creek	150,021	SF	OX
	MI	Lake Macatawa	44,605	SF	OX
	MI	Little Bay DeNoc	11,015	SF	OX
	MI	Little Manistee River	200,869	SF	ADCWT
	MI	Manistee River	69,384	SF	OX
	MI	Manistique River	45,052	SF	OX
	MI	Medusa Creek	218,129	SF	ADCWT
	MI	Medusa Creek	19,752	SF	OX
	MI	Muskegon Lake outlet	59,409	SF	OX
	MI	Saint Joseph River	120,427	SF	ADCWT
	WI	Ahnapee River	65,985	SF	OTC
	WI	East Twin River	37,995	SF	OTC

Species/ Strain	State/ Tribe	Stocking location	Number stocked	Stage	Fin clip or mark
<u>Chinook salmon</u>	WI	Ellison Bay	53,990	SF	OTC
Lake Michigan	WI	Green Bay	16,139	SF	OTC
	WI	Lake Michigan	96,920	SF	OTC
	WI	Menominee River	68,974	SF	OTC
	WI	Milwaukee Harbor	113,946	SF	OTC
	WI	Oconto River	52,578	SF	OTC
	WI	Pike River	113,825	SF	OTC
	WI	Root River	113,945	SF	OTC
	WI	Sheboygan River	96,920	SF	OTC
	WI	Un Creek	16,000	SF	LV
<u>Coho Salmon</u>					
Hinchinbrooke	MI	Platte River	109,648	Y	LV
Lake Michigan	WI	Root River	36,510	Y	ADCWT
<u>Steelhead</u>					
Arlee	WI	Ahnapee River	11,285	Y	LP
	WI	Kenosha Harber	10,000	Y	LP
	WI	Lake Michigan	10,000	Y	LP
	WI	Milwaukee Harbor	10,000	Y	LP
	WI	Sheboygan Harbor	10,000	Y	LP
	WI	Sister Bay	10,000	Y	LP
Chambers Creek	WI	East Twin River	5,259	Y	AD
	WI	Kewaunee River	34,430	Y	LMLV
	WI	Root River	27,398	Y	LMLV
Ganaraska	WI	Kewaunee River	4,512	Y	BV
	WI	Krok River	30,073	Y	BV
	WI	Root River	26,948	Y	BV
Kamloops	WI	Ahnapee River	8,744	Y	RV
	WI	Kenosha Harber	10,215	Y	RV
	WI	Lake Michigan	10,591	Y	RV

Species/ Strain	State/ Tribe	Stocking location	Number stocked	Stage	Fin clip or mark
Steelhead	WI	Milwaukee Harbor	10,130	Y	RV
Kamloops	WI	Sheboygan Harbor	10,070	Y	RV
	WI	Sister Bay	8,820	Y	RV
Lake Michigan	IN	St. Joseph River	40,001	Y	RP
	MI	Betsie River	34,821	Y	LV
	MI	Grand River	29,702	Y	RP
	MI	Saint Joseph River	22,784	Y	OX
Skamania	IL	Chicago, Diversey Harbor	27,199	F	ADRP
	IL	Waukegon, South Harbor	28,002	F	ADRP
	WI	Kewaunee River	30,731	Y	RMRV
	WI	Root River	34,452	Y	RMRV
<u>Lake Sturgeon</u>					
Wolf River	WI	Milwaukee River	100	Y	RV, PIT
	WI	Manitowoc River	60	Y	LV, PIT
	WI	Branch River	40	Y	LV, PIT
Winnebago	WI	Milwaukee River	27	F	RV, PIT
Menominee	MI	Whitefish River	25	F	_P, PIT
<u>Muskellunge</u>					
Great Lakes Spotted	WI	Fox River	11,483	FF	LV
	WI	Fox River, lock channel	50	Y	BV,PIT
	WI	Fox River, lock channel	644	FF	LV
	WI	Green Bay	51	Y	BV,PIT
	WI	Green Bay	743	FF	LV
	WI	Little Sturgeon Bay	55	Y	BV,PIT
	WI	Little Sturgeon Bay	531	FF	LM
	WI	Menominee River	50	Y	BV,PIT
	WI	Menominee River	1,852	FF	LM
	WI	Peshtigo River	164	Y	BV,PIT
	WI	Sturgeon Bay	50	Y	BV,PIT
	WI	Sturgeon Bay	533	FF	LM

Species/ Strain	State/ Tribe	Stocking location	Number stocked	Stage	Fin clip or mark
<u>Walleye</u>					
Big Bay DeNoc	CORA	Northport Bay	93,240	SF	OTC
	CORA	Sutton's Bay	32,904	SF	OTC
Bay DeNoc	MI	Little Bay DeNoc	160,749	SF	OX
Lake Michigan	IN	St. Joseph River	71,006	F	OX
	WI	Milwaukee River	9,123	FF	LV

Table 8. Numbers of non-salmonid fingerlings, yearlings and adult stages of fish stocked in Lake Michigan from all jurisdictions between 1989 and 2006. All fry stockings are footnoted at the bottom.

	Bluegill	Hybrid Sunfish	Lake Sturgeon	Muskellunge	Northern Pike	Smallmouth Bass	Walleye	Yellow Perch
1989	0	0	0	11,291	0	39,284	592,310 ⁽¹⁾	3,796
1990	0	0	0	1,274	467,000	0	3,261,495	0
1991	0	0	0	0	39	0	1,000,416 ⁽²⁾	0
1992	0	0	0	0	0	0	1,024,539	0
1993	0	0	0	0	413,179	0	445,369	0
1994	0	0	0	0	0	0	1,309,036	4,025
1995	0	0	0	0	0	0	832,548	145,402
1996	0	0	0	0	0	0	706,850	0
1997	0	0	0	0	0	0	481,189	0
1998	0	0	4,972	2,109	150	0	1,503,421 ⁽³⁾	0
1999	2,257	0	8,615	963	0	0	715,409 ⁽⁴⁾	0
2000	0	0	0	0	0	0	105,000	0
2001	0	0	1,427	629	0	0	10,102,303	2,003
2002	0	1,296	0	0	1	50	4,283,547	5,726
2003	0	0	0	24,723	0	0	4,597,735	0
2004	0	0	2,200	20,125	0	0	1,171,300	0
2005	0	0	1,100	18,934	0	0	908,420 ⁽⁵⁾	0
2006	0	0	252	19,892	0	0	398,002	0

Footnotes: Additional stockings of walleye fry: ⁽¹⁾2.775 million in 1989, ⁽²⁾1.182 million in 1991, ⁽³⁾5.8 million in 1998, and ⁽⁴⁾6.5 million in 1999, ⁽⁵⁾0.6 million in 2005.